


APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN	348	362

666720 1359560

FIG. 1


100



APPROVED	Q.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


6667420 1133332600

FIG. 2



APPROVED BY DRAFTSMAN	O.G. FIG.	
	CLASS	SUBCLASS

FIG. 4



66740" 4359560

FIG. 5

9




FIG. 6






FIG. 7



666720-19995200


FIG. 8



2025-10-10 14:30:00

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


FIG. 9



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


666720 1955260

FIG. 11



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 13



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

66720"199900

FIG. 16

50

STANDARD SETTING MODE

① NUMBER OF IMAGE-CAPTURE OPERATIONS 2

② FIRST EXPOSURE TIME 1.0 SECONDS

③ TIME INTERVAL BETWEEN SECOND AND LATER IMAGES 1 SECONDS


52 a

52 b

52 c

APPROVED BY DRAFTSMAN	O.G. FIG.	
	CLASS	SUBCLASS


FIG. 17



APPROVED BY DRAFTSMAN	O.G. FIG.	
	CLASS	SUBCLASS

FIG. 18

50



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

66720"49999260

FIG. 19






FIG. 20



66720"439560

FIG. 21



666420-1959260

FIG. 22





FIG. 23




APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 26

P4

P 4 : FOURTH READ PATTERN



- PIXELS NOT TO BE READ
- ▨ PIXELS USED FOR AF
- ▩ PIXELS USED FOR DISPLAY
- ▧ PIXELS USED FOR BOTH DISPLAY AND AF

FIG. 27

